



Lohmann Brown Lite



The Lohmann Brown Lite has similar performance and behavioural characteristics to the [Lohmann Brown Classic](#). It has an average egg size approximately 1.5g less than the Lohmann Brown Classic therefore producing a higher percentage of medium eggs.

The bird gives very good laying performance with typical Lohmann egg colour and shell quality, as with the Lohmann Brown Classic, this bird is suitable for a variety of management systems.

Shell Colour: Attractive brown with a shell breaking strength over 35 Newtons.

Wot-A-Pullet, the gold standard in pullet rearing

www.wotapullet.co.uk

Wot-A-Pullet, Quarry House, Cattle Hill, Warter, York, Yorkshire, YO42 1XG

T: 01759 488048 E: info@wotanegg.co.uk



	Free Range	Colony
Eggs per hen housed to 72 weeks	311.2	319.6
Eggs per hen housed to 80 weeks	354.0	362.8
Average egg size to 72 weeks	61.1g	61.0g
Average egg size to 80 weeks	61.6g	61.5g
Egg mass to 72 weeks	19.01kg	19.48kg
Egg mass to 80 weeks	21.81kg	22.46kg
Average daily feed intake per bird	124 – 129g	110 – 116g
Body weight at 16 weeks	1360g	1360g
Liveability:		
Rearing	97 – 98%	97 – 98%

Wot-A-Pullet, the gold standard in pullet rearing

www.wotapullet.co.uk

Wot-A-Pullet, Quarry House, Cattle Hill, Warter, York, Yorkshire, YO42 1XG

T: 01759 488048 E: info@wotanegg.co.uk



Laying period (72 wks.)	92 – 95%	93 – 96%
Laying period (80 wks.)	90 – 92%	92 – 95%
Age at 50% production	21 wks	20.5 wks
Peak production	93.6%	94.5%

The above information has been provided by the breed companies at the request of Wot-A-Pullet. Wot-A-Pullet gives no warranty or guarantee of performance of these figures.

Wot-A-Pullet, the gold standard in pullet rearing

www.wotapullet.co.uk

Wot-A-Pullet, Quarry House, Cattle Hill, Warter, York, Yorkshire, YO42 1XG

T: 01759 488048 E: info@wotanegg.co.uk